Supplementary Table

Supplementary Table 1. Items for comprehensive geriatric assessment-frailty index.

Medical History (21 items)		
• Angina	• COPD	• Heart failure
Anxiety disorder	 Coronary artery disease 	Hypertension
• Arthritis	 Degenerative spine disease 	 Myocardial infarction
• Asthma	• Dementia	 Peripheral vascular disease
Atrial fibrillation/flutter	Depression	 Sensory impairment
Cancer within 5 years	Diabetes	• Stroke/TIA
• Chronic kidney disease (eGFR < 60)	• Fall within the past year	• Use of \geq 5 prescription drugs
Functional Status (22 items)		
Activities of Daily Living	Activities of Daily Living	Nagi and Rosow-Breslau Activities
• Feeding	• Using telephone	 Pulling or pushing a large object
Dressing/undressing	 Using transportation 	 Stooping, crouching or kneeling
Grooming	Shopping	 Lifting or carrying 10 lbs
• Walking (or use of a walker)	 Preparing own meals 	 Reaching arms above shoulder
• Getting in and out of bed	• Housework	 Writing or handling small objects
• Toileting	 Taking own medications 	 Walking up/down a flight of stairs
Bathing or shower	 Managing money 	 Heavy work around house
Performance Tests (4 items)		
Mini-Mental Status Examination	5 Repeated Chair Stands	
27-30 points (0 points)	<11.20 s (0 points)	
24-26 points (0.3 points)	11.20-13.69 s (0.25 points)	
21-23 points (0.7 points)	13.70-16.69 s (0.5 points)	
<21 points (1 point)	16.70-60.9 s (0.75 points)	
	\geq 61.0 s (1 point)	
Gait Speed	Dominant Handgrip Strength	
$\geq 1 \text{ m/sec (0 points)}$	M , \geq 32 kg; F , \geq 20 kg (0 points)	
0.80-0.99 m/s (0.3 points)	M, ≥ 26–31 kg; F, 16–19 kg (0.5 points)	
0.60-0.79 m/sec (0.7 points)	M, <26 kg; F, <16 kg (1 point)	
<0.60 m/s (1 point)		
Nutritional Status (3 items)		
• Weight loss > 4.5 kg in past year	• Body mass index < 21 kg/m ²	• Serum albumin < 3.5 g/dL

Abbreviations: COPD, chronic obstructive pulmonary disease; eGFR, estimated glomerular filtration rate; F, female; M, male; TIA, transient ischemic attack.