

SUPPLEMENTARY TABLES

Supplementary Table 1. Clinicopathological characteristics and risk group of 5 arlncRNAs in 421 patients with ovarian cancer in TCGA.

	High-risk group (N = 211)	Low-risk group (N = 210)
Age		
≤60	118 (55.9%)	114 (54.3%)
>60	93 (44.1%)	96 (45.7%)
Stage		
I/II	13 (6.2%)	12 (5.7%)
III	164 (77.7%)	165 (78.6%)
IV	32 (15.2%)	32 (15.2%)
Missing	2 (0.9%)	1 (0.5%)
Status		
Survive	73 (34.6%)	86 (41.0%)
Dead	138 (65.4%)	124 (59.0%)

Supplementary Table 2. The specific sequences of primers required for qRT-PCR and siRNA.

Target	Sequence
LINC01094 RT primer	F: TGTA AACGACGGCCAGT R: CAGGAAACAGCTATGACC
AC106801.1 RT primer	F: AATAAGCCTAACCATTACCATAG R: TTGTTGAAGCGTGGAGATT
PRR34-AS1 RT primer	F: CCGCGATTTGGCGTAACTT R: TCCAAAGATGGCCTCGGTTC
SPAG5-AS1 RT primer	F: AACTTTGCTGAAGAGGCGGA R: TATGGCAGGAAGGACATTGGG
CACNA1G-AS1 RT primer	F: TGTGCTTCACCATGCTCCAT R: TTAGTGCTC CGGCCAACAA
siPRR34-AS1	UAAGUUAACGCCAAAUCGCGG (dT)(dT)
siSPAG5-AS1	GGAGGUUGUUCAUGGUAAA (dT)(dT)